<10

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific requirements

U.S. Department of Labor

Occupation Safety and Health Administration (Non-Mandatory Form)

Form Approved

OMB No. 1218-0072

IDENTITY					
Hair Bleach	n Powder	or	Paste	Products	for
Stripping,	Lighten:	ing,	and/o	or Frosti	ng

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

Stripping, Lightening, and/or Frosting	
Section I	
Manufacturer's Name	Emergency Telephone Number
L'Oreal USA Products, Inc.	(800) 535-5053 (Int'l 352-323-3500)
Address (Number, Street, City, State, and ZIP Code)	Telephone Number For Information
111 Terminal Avenue	(732) 499-2745
III Terminal Avende	Date Prepared
Clark, NJ 07066	September 15, 2004
Clark, No 07000	Signature of Preparer (optional)
r * * * * * * * * * * * * * * * * * * *	GCD

Section II - Hazardous Ingredients/Identity Information ACGIH Other Limits Hazardous Components (Specific Chemical Identity; Common Name(s)) **OSHA PEL** TLV Recommended % (optional) <60 Potassium Persulfate <10 Sodium Persulfate

Section III - Physical/Chemical Boiling Point		Specific Gravity (H2O = 1)	
	N/A	- W	>1
Vapor Pressure (mm Hg)	N/A	Melting Point	Decom- poses
Vapor Density (AIR = 1)	N/A	Evaporation Rate (Butyl Acetate = 1)	N/A

~80% water soluble

Ammonium Persulfate

Appearance and Odor

White, fluffy powder or paste with possible slight ammonia odor.

Section IV - Fire and Explosion Hazard Data Flash Point (Method Used)	Flammable Limits	LEL	UEL
Flash Four (Method Cody)	27	N/A	N/A
None	None	N/A	II/ IX

Use media appropriate for materials actually involved in the fire.

Special Fire Fighting Procedures

Upon decomposition, persulfates yield oxygen and may thereby stimulate the combustion of flammable and combustible materials. Extinguish fires with media appropriate for the burning material. Wear a self-contained breathing apparatus.

Unusual Fire and Explosion Hazards

Caution: Oxidizer. Residual product on towels, sponges, or mops may cause fire. Rinse towels thoroughly before disposal. Rinse sponges and mops thoroughly before storage. Persulfate compounds may ignite and undergo decomposition in the presence of moisture and heat. Spray and flood decomposing material with large quantities of water.

Section V - Re	activity Data					#9 9- 03 0	
Stability	Unstable	Х	Conditions to Avoid	unde		t room temperature . Heat and/or moistur y.	
,	Stable	X					
Incompatibility (Ma	terials to Avoid))	
			lammables a	nd combu	stibles) and red	ucing agents.	
Hazardous Decom	position or Byprodu	cts				0 5	
Oxygen, chl	orine, oxide	s of su	lfur, sodiw	m oxide,	and ammonia.		
Hazardous	May Occur		Conditions to Avoid			Set 12	
Polymerization	Will Not Occur	Х	71010	None	known	, , , , , , , , , , , , , , , , , , ,	
Section VI - He	Section VI - Health Hazard Data						
Route(s) of Entry:		Inhalation?			Skin?	Ingestion?	
	100	Yes			Yes	Not likely.	
Health Hazards (Ad	cute and Chronic)						
Harmful if	swallowed, i	nhaled,	or absorbed	d throug	h skin. This pro	duct may cause serious	
irritant, r	espiratory,	and/or	allergic rea	actions	in sensitive ind	ividuais.	
						* * * * * * * * * * * * * * * * * * *	
		NTP?		- 1	ARC Monographs?	OSHA Regulated?	
Carcinogenicity:		No			No	No	
Signs and Symptor		NO					
Signs and Sympton	- E ciros ski	n and	mucous memb	ranes. P	ossible irritant.	/allergic dermatitis	
irritation o	or eyes, ski tory signs a	ind symp	toms, the or	nset of	which may be dela	ayed.	
and respira	COLY OZG	-1-1	:*				
Medical Conditions	Generally Aggrava	ted by Expo	sure			6.5	
Fricting de	rmatological	condit	ions, such a	as eczem s, may b	a, and respirator e exacerbated.	ry conditions, such as	

Emergency and First Aid Procedure

If swallowed, do <u>not</u> induce vomiting. Call a physician, hospital emergency room, or poison control center immediately. Get prompt medical attention. If affected by inhalation, move to fresh air. If symptoms persist, get medical attention. If eye or skin contact occurs, immediately flush with water and get medical attention if irritation occurs.

Section VII - Precautions for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled

For small spills, wipe up with wet paper towels or a sponge. Wash area with water. Rinse paper towels, sponges, or mops thoroughly prior to disposal or storage. For larger quantities, place in UN specification drums for disposal. During clean-up, do not contaminate powder with organic material. Keep drummed waste cool and dry pending disposal.

Waste Disposal Method

Hair bleaching powder products are ignitable (D001) RCRA hazardous wastes when intended for disposal. Physical and/or chemical deactivation/degredation is the required method of treatment and disposal.

Precautions to be Taken in Handling and Storage

Use only with adequate ventilation and avoid inhalation. Avoid contact with eyes and skin (other than areas of application). Do not inhale or ingest. Prepare and use in a well-ventilated area. Do not use or store with or near fuels, solvents, or other organic materials. Avoid heat, moisture, and reducing agents.

For external use only. Use only as directed. Keep out of reach of children. Patch test is intended to indentify skin reaction only; it will not necessarily predict sensitization or irritation secondary to inhalation. Read the product package insert completely.

Section VIII - Control Measures

Respiratory Protection (Specify Type)

None required for product use. For handling bulk quantities as in manufacturing, a dust

For firefighting, wear a self-contained breathing apparatus.

mask may be	used. For firef	ighting, wear a sell-	Special
Ventilation	Local Exhaust	Explosion 12002	011
	Mechanical(General)	Explosion-Floor	- 1 B

Protective Gloves

Plastic or rubber gloves.

Other Protective Clothing or Equipment

For handling bulk quantities, safety glasses with side shields and protective clothing are recommended.

Work/Hygienic Practices

SHA hazard classification: Oxidizer, irritant, slightly toxic, possible sensitizer. OT classification: Bulk - Oxidizing solid, N.O.S. (Potassium persulfate, sodium persulfate, ammonium persulfate) 5.1 UN 1479 PGIII.

Finished Product - Consumer Commodity, ORM-D.

Forms published by ChemSW (707)864-0845