

 Close this window

SDS

Common Name: MICROBAN QGC
Manufacturer: II REP-Z
SDS Revision Date: 8/21/2008
SDS Format: No Format Specified

Grainger Item Number(s): 4GHV8, 4GHV9

Manufacturer Model Number(s):

SDS Table of Contents

Click the desired link below to jump directly to that section in the SDS.

- [1. CHEMICAL PRODUCT & COMPANY DATA](#)
- [2. INGREDIENTS](#)
- [3. HAZARDS IDENTIFICATION](#)
- [4. FIRST AID](#)
- [5. FIRE FIGHTING MEASURES](#)
- [6. ACCIDENTAL RELEASE MEASURES](#)
- [7. HANDLING & STORAGE](#)
- [8. EXPOSURE CONTROLS & PERSONAL PROTECTION](#)
- [9. PHYSICAL AND CHEMICAL PROPERTIES](#)
- [10. STABILITY AND REACTIVITY](#)
- [11. TOXICOLOGICAL INFORMATION](#)
- [12. ECOLOGICAL INFORMATION](#)
- [13. DISPOSAL CONSIDERATIONS](#)
- [14. TRANSPORT INFORMATION](#)
- [15. REGULATORY INFORMATION](#)
- [16. OTHER INFORMATION](#)

MICROBAN (R*)

MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT & COMPANY DATA



PRODUCT NAME: MICROBAN QGC

MANUFACTURER:
II REP-Z, INC.
4660 ELIZABETH STREET
CORAOPOLIS, PA 15108

TELEPHONE: 1-412-264-8340

SUPPLIER:

2. INGREDIENTS



NAME	CAS #	UN #	% BY VOLUME
N,N-DIALKYL (C8-10)-N,N-DIMETHYLAMMONIUM CHLORIDE	68424-95-3		3.3
N-ALKYL (C12-16) DIMETHYLBENZYLAMMONIUM CHLORIDE	68424-85-1		2.2
SECONDARY ALCOHOL ETHOXYLATES	84133-50-6		2.5
TETRASODIUM ETHYLENEDIAMINE TETRAACETATE	64-02-8		1.9
SODIUM METASILICATE	6834-92-0		0.3
ETHANOL	64-17-5		1.0
WATER	7732-18-5		

3. HAZARDS IDENTIFICATION



EMERGENCY OVERVIEW: ALKALINE LIQUID MIXTURE.

NOTE:

HAZARD INFORMATION IS BASED ON THE CHARACTERISTICS OF THE COMPONENTS OF THIS MIXTURE.

INGESTION:

MAY CAUSE ABDOMINAL DISCOMFORT, NAUSEA, VOMITING AND DIARRHEA. DROWSINESS OR UNCONSCIOUSNESS MAY OCCUR.

INHALATION:

LOW CONCENTRATION OF THE VAPOR MAY CAUSE IRRITATION OF THE RESPIRATORY TRACT WITH POSSIBLE CHEST PAIN AND COUGHING. HIGH CONCENTRATIONS MAY CAUSE HEADACHE AND DROWSINESS.

EYE CONTACT: CAUSES EYE IRRITATION AND POSSIBLE PERMANENT EYE INJURY.

SKIN CONTACT:

PROLONGED CONTACT MAY CAUSE DISCOMFORT, REDNESS, DRYING AND DEFATTING OF THE SKIN.

4. FIRST AID



INGESTION:

IF SWALLOWED, IMMEDIATELY GIVE 3-4 GLASSES OF MILK (IF UNAVAILABLE, GIVE WATER). DO NOT INDUCE VOMITING. IF VOMITING OCCURS, GIVE FLUIDS AGAIN. GET IMMEDIATE MEDICAL ATTENTION. HAVE PHYSICIAN DETERMINE IF PATIENT'S CONDITION ALLOWS FOR INDUCTION OF VOMITING OR EVACUATION OF THE STOMACH. DO NOT GIVE ANYTHING BY MOUTH TO A CONVULSING OR UNCONSCIOUS PERSON.

INHALATION:

REMOVE FROM AREA TO FRESH AIR. IF NOT BREATHING, CLEAR AIRWAY AND START ARTIFICIAL RESPIRATION. IF VICTIM IS HAVING TROUBLE BREATHING, GIVE SUPPLEMENTAL OXYGEN.

EYE CONTACT:

FLUSH EYES WITH WATER FOR 15 MINUTES. SEEK IMMEDIATE MEDICAL ATTENTION.

SKIN CONTACT:

WASH WITH LARGE AMOUNTS OF RUNNING WATER, AND SOAP IF AVAILABLE, FOR 15 MINUTES. REMOVE CONTAMINATED CLOTHING AND SHOES.

NOTE TO PHYSICIAN:

PROBABAL MUCOSAL DAMAGE MAY CONTRAINDICATE THE USE OF GASTRIC LAVAGE. SUPPLEMENTAL OXYGEN AND OR OTHER MEASURES TO SUPPORT BREATHING MAY BE NEEDED TO COMBAT CIRCULATORY SHOCK. PERSISTENT CONVULSIONS MAY BE CONTROLLED BY THE CAUTIOUS INTRAVENOUS INJECTION OF A SHORT ACTING BARBITURATE DRUG.

5. FIRE FIGHTING MEASURES



FLAMMABILITY:

YES ()

NO (X)

IF YES, UNDER WHICH CONDITIONS?

FLASHPOINT: >200 DEG. F (93.3 DEG. C)

AUTOIGNITION TEMPERATURE: N.AV.

UPPER FLAMMABLE LIMIT % BY VOLUME: N.AV.

LOWER FLAMMABLE LIMIT % BY VOLUME: N.AV.

HAZARDOUS COMBUSTION PRODUCTS:

PRODUCTS OF COMBUSTION ARE TOXIC

EXPLOSION DATA: N.AP.

MEANS OF EXTINCTION:

APPLY ALCOHOL TYPE OR ALL PURPOSE FOAM FOR LARGE FIRES. USE DRY CHEMICAL MEDIA OR CARBON DIOXIDE EXTINGUISHERS FOR SMALL FIRES. SCBA AND BUNKER GEAR FOR FIRE DEPARTMENT PERSONNEL.

6. ACCIDENTAL RELEASE MEASURES



WARNING: MAY BE CORROSIVE.

WEAR PERSONAL PROTECTIVE EQUIPMENT.

DO NOT ALLOW SPILL TO REACH WATERCOURSE OR SEWERS.

CONTAIN SPILL WITH ABSORBENT MATS OR BOOMS OR INERT MATERIALS SUCH AS SAND. MATERIAL SHOULD BE READILY AVAILABLE IN THE WORKPLACE.

COLLECT AND STORE WASTE MATERIALS IN SUITABLE CONTAINERS FOR DISPOSAL I.E. METAL DRUMS. FLOORS MAY BECOME SLIPPERY.

7. HANDLING & STORAGE



PRECAUTIONS FOR STORAGE AND HANDLING:

STORE AT TEMPERATURES BELOW 140 OF. KEEP CONTAINERS CLOSED UNTIL USED. DO NOT CONTAMINATE DRINKING WATER, FOOD OR FEED BY STORAGE OR DISPOSAL.



8. EXPOSURE CONTROLS & PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT:

GLOVES: RUBBER OR NEOPRENE, TO PREVENT SKIN CONTACT.

RESPIRATOR:

IN PROCESSES WHERE MISTS OR VAPORS MAY BE GENERATED, A NIOSH/MSHA JOINTLY APPROVED RESPIRATOR IS ADVISED IN THE ABSENCE OF PROPER ENVIRONMENTAL CONTROLS.

EYE:

WEAR CHEMICAL SPLASH GOGGLES WHERE THERE IS A POTENTIAL FOR EYE CONTACT. USE SAFETY GLASSES WITH SIDE SHIELDS UNDER NORMAL USE CONDITIONS.

FOOTWEAR: N.AP.

CLOTHING: COVERALLS OR EQUIVALENT

OTHER:

EYE WASH; SAFETY SHOWER; PROTECTIVE CLOTHING (LONG SLEEVES, COVERALLS OR OTHER, AS APPROPRIATE), WHEN NEEDED, TO PREVENT SKIN CONTACT.

EXPOSURE GUIDELINES:

EFFECTS OF OVEREXPOSURE:

NO INFORMATION FOUND FOR HUMAN EXPOSURE. BASED ON THE AVAILABLE ANIMAL TOXICITY INFORMATION FOR THIS AND SIMILAR PRODUCTS, IT IS ANTICIPATED THAT DIRECT CONTACT WITH THIS MATERIAL WILL PRODUCE SEVERE SKIN OR EYE IRRITATION. UPON PROLONGED CONTACT, BURNS AND POSSIBLE IRREVERSIBLE DAMAGE MAY OCCUR. SOLVENT VAPORS OR MISTS OF PRODUCTS CAN CAUSE IRRITATION OF MUCOUS MEMBRANES. EXPOSURE TO ETHANOL CONCENTRATIONS OF OVER 1,000 PPM MAY CAUSE HEADACHE, IRRITATION OF THE EYES, NOSE AND THROAT, AND, IF LONG CONTINUED, DROWSINESS AND LOSS OF APPETITE AND INABILITY TO CONCENTRATE.

9. PHYSICAL AND CHEMICAL PROPERTIES



PHYSICAL STATE: LIQUID

ODOR AND APPEARANCE: CLEAR LIQUID, ODOR VARIES WITH FRAGRANCE

ODOR THRESHOLD (PPM): N.AV.

VAPOR PRESSURE (MMHg): N.AV.

VAPOR DENSITY (AIR=1): N.AV.

EVAPORATION (BUTYL ACETATE = 1): N.AV.

BOILING POINT: 215.6 DEG. F (102 DEG. C)

FREEZING POINT: N.AV.

pH: 12.4

SPECIFIC GRAVITY: 1.01 @ 77 DEG. F (25 DEG. C)

COEFFICIENT WATER/OIL DISTRIBUTION: N.AV.

SOLUBILITY IN WATER: 100%

VISCOSITY: <100 CPS @ 77 DEG. F (25 DEG. C)

% VOLATILES (BY WEIGHT): 90%

10. STABILITY AND REACTIVITY



CHEMICAL STABILITY:

YES (X)

NO ()

IF NO, UNDER WHICH CONDITIONS?

INCOMPATIBILITY WITH OTHER SUBSTANCES:

YES (X)

NO ()

IF YES, UNDER WHICH CONDITIONS?: AVOID STRONG OXIDIZING AGENTS.

REACTIVITY, AND UNDER WHAT CONDITIONS?: STABLE UNDER NORMAL CONDITIONS.

HAZARDOUS DECOMPOSITION PRODUCTS?:

THERMAL DECOMPOSITION MAY PRODUCE TOXIC VAPORS/FUMES OF HYDROGEN CHLORIDE, AMINES, AND OTHER ORGANIC MATERIALS AND OXIDES OF CARBON AND NITROGEN.

11. TOXICOLOGICAL INFORMATION



ROUTE OF ENTRY:

SKIN CONTACT (X)

SKIN ABSORPTION (X)

EYE CONTACT (X)

INHALATION (X)

INGESTION ()

ORAL LD50 (RAT): 2800 MG/KG

DERMAL LD50 (RABBIT): 2850 MG/KG

EYE IRRITATION (RABBIT):

EXTREME IRRITANT (PRIMARY IRRITATION: 97.5 WITHOUT WASHING, AND 93.3 WITH WASHING)

SKIN IRRITATION (RABBIT): SEVERE IRRITANT (PRIMARY IRRITATION INDEX 8.0)

DOT SKIN CORROSIVITY (RABBIT): NON-CORROSIVE

SKIN IRRITATION AT 1:64 USE DILUTION:

NON-IRRITANT (PRIMARY IRRITATION INDEX = 0.0)

CARCINOGENICITY: NO

SYNERGISTIC PRODUCTS: NO

MUTAGENICITY: NO

SENSITIZATION: NO

TERATOGENICITY: NO

NEUROTOXICITY: NO

REPRODUCTIVE TOXICITY: NO

TARGET ORGANS: EYES AND SKIN

12. ECOLOGICAL INFORMATION



top

NONE KNOWN.

13. DISPOSAL CONSIDERATIONS



top

DISPOSE OF IN COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS AND REGULATIONS.

14. TRANSPORT INFORMATION



top

SHIPPING NAME: NOT REGULATED

HAZARD CLASS:

UN IDENTIFICATION #:

15. REGULATORY INFORMATION



top

THIS MATERIAL SAFETY DATA SHEET HAS BEEN PREPARED IN ACCORDANCE WITH THE REQUIREMENTS OF THE OSHA HAZARD COMMUNICATION STANDARD (29 CFR 1910.1200) AND THE HAZARDOUS PRODUCTS ACT (CAN.) AND THE CONTROLLED PRODUCTS REGULATIONS (CAN.) THIS PRODUCT HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CPR (CAN.) AND THE MSDS CONTAINS ALL THE INFORMATION REQUIRED BY THE CPR (CAN.).

SARA TITLE III SECTIONS 311/312 - THIS ACT REQUIRES REPORTING UNDER THE COMMUNITY RIGHT-TO-KNOW PROVISIONS DUE TO THE INCLUSION OF THE FOLLOWING COMPONENTS OF THIS MATERIAL IN ONE OR MORE OF THE FIVE HAZARD CATEGORIES LISTED IN 40 CFR 370:

CHEMICAL NAME	CAS NUMBER	HAZARD *) CATEGORIES
N,N-DIALKYL (C8-10)-N,N-DIMETHYLAMMONIUM CHLORIDE	68424-95-3	A
N-ALKYL (C12-16)DIMETHYLBENZYLAMMONIUM CHLORIDE	68424-85-1	A
ETHANOL	64-17-5	F
SECONDARY ALCOHOL ETHOXYLATES	84133-50-6	A

*) THE FIVE HAZARD CATEGORIES ARE AS FOLLOWS:

F = FIRE HAZARD

S = SUDDEN RELEASE OF PRESSURE

R = REACTIVE

A = IMMEDIATE (ACUTE) HEALTH HAZARD

C = DELAYED (CHRONIC) HEALTH HAZARD.

FEDERAL LEVEL REGULATIONS:

THIS IS AN EPA FIFRA REGISTERED PESTICIDE (EPA REGISTRATION NO. 70263-6).
THIS MATERIAL CAN ONLY BE USED COMMERCIALY IN THE EPA REGISTERED
APPLICATION(S) NOTED ON THE PRODUCT LABEL.

TOXIC SUBSTANCES CONTROL ACT (TSCA INVENTORY) STATUS:

FOUND ON U.S. EPA TSCA INVENTORY.

CANADIAN WORKPLACE HAZARDOUS MATERIAL INFORMATION SYSTEM (WHMIS)

CLASSIFICATION:

NOT REGULATED

DOMESTIC SUBSTANCE LIST (DSL) STATUS:

ALL THE COMPONENTS OF THIS MATERIAL ARE CURRENTLY LISTED ON THE CANADIAN
DSL.

TRANSPORT OF DANGEROUS GOODS (TDG): NOT REGULATED

16. OTHER INFORMATION

THIS PRODUCT IS A DISINFECTANT AND CLEANER.

FOR CHEMICAL EMERGENCY DURING TRANSPORTATION CALL INFOTRAC:

(US): 1-800-535-5053

(INT'L): 1-352-323-3500

PREPARED BY:

II REP-Z, INC.

CORAOPOLIS, PA / CLIFF ZLOTNIK

PHONE NO: 1-412-264-8340

DATE: AUGUST 21, 2008

ABBREVIATIONS:

N.AV. = NOT AVAILABLE

MMHg = MILLIMETERS OF MERCURY

COC = CLEVELAND OPEN CUP

LD = LETHAL DOSE

N.AP. = NOT APPLICABLE

PMCC = PENSKY MARTENS CLOSED CUP

TWA = TIME WEIGHTED AVERAGE

LC = LETHAL CONCENTRATION

PPM = PARTS PER MILLION

TCC = TAGLIABUE CLOSED CUP

STEL = SHORT TERM EXPOSURE LIMIT

CS = CENTISTOKES

THIS INFORMATION IS FURNISHED WITHOUT WARRANTY, EXPRESSED OR IMPLIED EXCEPT
THAT IT IS ACCURATE TO THE BEST KNOWLEDGE OF II REP-Z, INC. THE DATA AND
INFORMATION ON THIS SHEET RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED
HEREIN. II REP-Z, INC. ASSUMES NO LEGAL RESPONSIBILITY FOR USE OR RELIANCE
UPON THIS DATA.