




# Material Safety Data Sheet

minusa

<b>Section I. Chemical Product and Company Identification</b>			
<b>Product Name/ Trade Name</b>	<b>MCNAMEE® CLAY</b>	<b>Code</b>	09109
		<b>CAS#</b>	1332-58-7
<b>Supplier</b>	R. T. VANDERBILT COMPANY, INC. 30 WINFIELD STREET NORWALK, CT 06855	<b>In case of Emergency</b>	(203) 853-1400
		<b>Synonym</b> Clay, kaolin, kaolinite	
<b>Chemical Name</b>	Hydrated magnesium aluminum silicate mineral	<b>Protective Clothing</b> 	
<b>Chemical Family</b>	Phyllosilicates (structural).		
<b>Manufacturer</b>	R. T. Vanderbilt Company, Inc. 30 Winfield Street Norwalk, CT 06855	<b>Material Uses</b>	Additive filler in rubber and paper.

<b>Section II. Composition and Information on Ingredients</b>			
Name	CAS #	% by Weight	TLV/PEL
1) kaolin clay	1332-58-7	95-98	TWA 5 mg/m <sup>3</sup> from respirable fraction (OSHA) OSHA PEL: TWA respirable fraction formula: 10 mg/m <sup>3</sup> / % SiO <sub>2</sub> +2 ACGIH: TWA 0.1 mg/m <sup>3</sup> from respirable fraction TWA 3 mg/m <sup>3</sup> from respirable fraction (OSHA)
2) quartz	14808-60-7	0.45	
3) mica	12001-26-2	1-3	
Total Product			TWA: 15 mg/m <sup>3</sup> total dust 5 mg/m <sup>3</sup> respirable dust (OSHA)  As particles not otherwise regulated (PNOR).

<b>Section III. Hazards Identification</b>	
<b>Emergency Overview</b>	Not an acute hazard. Contains quartz. May cause mechanical eye or skin irritation in high concentrations. As with all mineral spills, minimize dusting during clean-up. Do not breathe dust. Prolonged inhalation may cause lung injury. Product can become slippery when wet.
<b>Target Organs</b>	Pulmonary System (chronic risk).

**Section IV. First Aid Measures**

<b>Eye Contact</b>	Flush with plenty of flowing water. Get medical attention if irritation persists.
<b>Skin Contact</b>	Wash off with water.
<b>Inhalation</b>	Allow the victim to rest in a well ventilated area if high concentration is inhaled and mechanical irritation or discomfort occurs. Seek medical attention if irritation persists.
<b>Ingestion</b>	Unlikely to be toxic by ingestion.

**Section V. Fire and Explosion Data**

<b>Flammability of the Product</b>	Non-flammable.
<b>Auto-Ignition Temperature</b>	Not applicable.
<b>Flash Points</b>	Not applicable.
<b>Flammable Limits</b>	Not applicable.
<b>Products of Combustion</b>	Not applicable.
<b>Fire Hazards in Presence of Various Substances</b>	Not applicable.
<b>Explosion Hazards in Presence of Various Substances</b>	None.
<b>Fire Fighting Media and Instructions</b>	Product will not burn, use appropriate extinguishing media for surrounding fires.
<b>Special Remarks on Fire Hazards</b>	Not available.
<b>Special Remarks on Explosion Hazards</b>	Not available.

**Section VI. Accidental Release Measures**

<b>Small Spill</b>	Use a vacuum to clean up spillage. If appropriate, use gentle water spray to wet down and minimize dust generation. Place in a sealed container. Material will become slippery when wet.
<b>Large Spill</b>	Use a shovel to put the material into a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system. Avoid excessive dust generation. Use respiratory protection in high dust conditions.

**Section VII. Handling and Storage**

<b>Handling and Storage Procedures</b>	No special storage considerations. Handle in ways which minimize dust generation.
--	---

**Section VIII. Exposure Controls/Personal Protection**

<b>Engineering Controls</b>	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If local exhaust ventilation is used, a capture velocity of 150-200 fpm is recommended.
<b>Personal Protection</b>	Safety glasses. Any NIOSH approved filler dust respirator. No special skin protection required. Wash skin if mechanical irritation is experienced.

**Section IX. Physical and Chemical Properties**

<b>Appearance</b>	Cream powder.
<b>Molecular Weight</b>	Not available.
<b>pH</b>	Not available
<b>Melting/ Sublimation Point</b>	Not available.
<b>Specific Gravity</b>	2.62 (Water = 1)
<b>Volatility</b>	Non-volatile.
<b>Odor</b>	None
<b>Solubility</b>	Insoluble in cold water.

**Section X. Stability and Reactivity Data**

<b>Stability</b>	The product is stable.
<b>Instability Temperature</b>	Not applicable
<b>Conditions of Instability</b>	None known
<b>Incompatibility with Various Substances</b>	Non reactive.
<b>Corrosivity</b>	Not available.

**Section XI. Toxicological Information**


<b>Routes of Entry</b>	Inhalation. Ingestion.
<b>Acute Effects</b>	
<b>Eye contact</b>	Not a primary eye irritant. May cause mechanical irritation,
<b>Skin contact</b>	Not a skin irritant. Not absorbed through skin.
<b>Sensitization</b>	Not a sensitizer.
<b>Ingestion</b>	Not an ingestion hazard.

**Continued on Next Page**

<b>Inhalation</b>	Inhalation of high concentrations may cause mechanical irritation and discomfort. Repeated exposure may cause chronic effects.
<b>Remarks</b>	No additional remark.
<b>Chronic Effects</b>	<p><b>CARCINOGENIC EFFECTS:</b> See remarks.  <b>MUTAGENIC EFFECTS:</b> None known.  <b>TERATOGENIC EFFECTS:</b> None known.  <b>DEVELOPMENTAL TOXICITY:</b> None known.</p>
<b>Remarks</b>	<p>KAOLIN: Published literature suggests that extremely high exposures to kaolin dust over a prolonged period of time can lead to a low category pneumoconiosis (with little respiratory disability) in a small number of workers.</p> <p>CRYSTALLINE SILICA: Overexposure to respirable crystalline silica dust can cause silicosis, a form of progressive pulmonary fibrosis. "Inhalable" crystalline silica (quartz) is listed by IARC as a Group I carcinogen (lung) based on "sufficient evidence" in occupationally exposed humans and sufficient evidence in animals. Crystalline silica is also listed by the NTP as a known human carcinogen. Some studies have not demonstrated a cancer association and considerable controversy exists concerning the IARC and NTP classification.</p> <p>Excessive exposure to any dust may aggravate pre-existing respiratory conditions.</p>

<b>Section XII. Ecological Information</b>	
<b>Ecotoxicity</b>	None known.
<b>BOD5 and COD</b>	Not available.
<b>Products of Biodegradation</b>	None known.
<b>Toxicity of the Products of Biodegradation</b>	None known.
<b>Special Remarks on the Products of Biodegradation</b>	Not available.

<b>Section XIII. Disposal Considerations</b>	
<b>Waste Information</b>	Not a RCRA hazardous waste. Dispose of according to state or local regulations.

<b>Section XIV. Transport Information</b>	
<b>DOT</b>	Not a DOT controlled material (United States).
	Not applicable.
<b>Maritime Transportation</b>	Not available.

**Section XV. Other Regulatory Information and Pictograms**

**TSCA** Listed.


**Federal and State Regulations** OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).  
 California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer which would require a warning under the statute: quartz  
 Pennsylvania RTK: kaolin clay; mica; quartz  
 Florida: mica; quartz  
 Minnesota: kaolin clay; mica; quartz  
 Massachusetts RTK: kaolin clay; mica; quartz  
 TSCA 8(b) inventory: MCNAMEE® CLAY

**Hazardous Material Information System (U.S.A.)**

Health Hazard	*	1
Fire Hazard		0
Reactivity		0
Personal Protection		E

\* Chronic Potential

**National Fire Protection Association (U.S.A.)**



**Protective Clothing (Pictograms)**



**Section XVI. Other Information**

**References** Not available.

**Other Special Considerations** Quartz (none detected to less than 1.0% - this quartz range is "typical" and may change slightly with different lots.)

Validated by Sue Kelly on 8/29/2001.

Verified by Sue Kelly.

Printed 9/12/2001.

**Information Contact** John Kelse (203) 853-1400 ext. 217  
 Corporate Risk Management

Notice to Reader

*Information presented herein has been compiled from sources considered to be dependable and is accurate and reliable to the best of our knowledge and belief but is not guaranteed to be so. Nothing herein is to be construed as recommending any practice or any product in violation of any patent or in violation of any law or regulation. It is the user's responsibility to determine for himself the suitability of any material for a specific purpose and to adopt such safety precautions as may be necessary. We make no warranty as to the results to be obtained in using any material and, since conditions of use are not under our control, we must necessarily disclaim all liability with respect to the use of any material supplied by us.*