## Issuing Date 09/04/2012

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name OC-100 Recommended use Cleaning agent Information on Manufacturer Partsmaster, Div of NCH Corp. P.O. Box 655326 Dallas, TX 75265-5326 Product Code 0480 Chemical nature Aqueous surfactant solution Emergency Telephone Number CHEMTREC<sup>®</sup> 800-424-9300

# 2. HAZARDS IDENTIFICATION

	Emergency Overview				
	WARNING				
	Combustible Liquid				
	Causes skin irritation				
	Severe eye irritation				
	May cause allergic skin reaction				
	May be harmful if inhaled				
	May cause allergic respiratory reaction				
	Harmful or fatal if swallowed				
Color Yellow-orange - red orange Physical State Liquid		Odor Orange			
	otential Health Effects				
· ·	Principle Route of Exposure Skin contact, Eye contact, Inhalation.				
Primary Routes of Entry Acute Effects	Inhalation, Skin Absorption.				
	Severe eve irritant.				
Eyes Skin	Causes skin irritation. May cause allergic skin reaction.				
		a system offects. May			
innalation	Inhalation May cause irritation of respiratory tract. Inhalation may cause central nervous system effects. May cause central nervous system depression. Symptoms and signs include headache, dizziness, fatigu muscular weakness, drowsiness and in extreme cases, loss of consciousness. May cause allergic respiratory reaction.				
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration hazard if swallowed - can enter lungs and cause damage.				
Chronic Toxicity					
Target Organ Effects	Central nervous system, Respiratory system, Kidney, Liver, Immune system	n, Skin, Eyes.			
Aggravated Medical Conditions	Neurological disorders, Respiratory disorders, Kidney disorders, Liver diso	-			
Potential Environmental Effects	See Section 12 for additional Ecological information.	-			
	-				

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS-No	
D-Limonene	5989-27-5	
Triethanolamine salt of tall oil fatty acid	68132-46-7	
Hexylene glycol	107-41-5	
Diethanolamine salt of tall oil fatty acid	61790-66-7	
Soyamide diethanolamine	68425-47-8	
Coconut fatty acid	68936-15-8	
Cocamide DEA	68603-42-9	

	4. FIRST AID MEASURES
General advice	Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists.
Eye Contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get medical attention immediately.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
Inhalation	Move to fresh air. In case of shortness of breath, give oxygen. If breathing has stopped, apply artificial respiration. Get medical attention immediately.
Ingestion	Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention immediately. Never give anything by mouth to an unconscious person.
Notes to physician	May cause sensitization of susceptible persons. Aspiration hazard if swallowed - can enter lungs and cause damage.

		5. FIRE	E-FIGHTING MEASUR	ES		
Flash Point	119 °F / 48 °C		Method	Seta closed cup		
Autoignition Temperature No information available.						
•	its in Air % Solvent m	xture.	<b>Upper</b> 6.1	Lower 0.7		
Suitable Extingui	•					
	bon dioxide (CO2). Fo	oam. Use extinguishing r	measures that are appropri	ate to local circumstances and the s	surrounding	
environment.						
•	arising from the che					
Combustible Liquid. Solvent vapors are heavier than air and may spread along floors. Vapors may ignite and explode. Material can create slippe conditions.						
	ment and Precaution	s for Firefighters				
		•	e-demand, MSHA/NIOSH (	approved or equivalent) and full prot	ective gear.	
NFPA	Health 2	0	Flammability 2	Instability 0		
HMIS	Health 2		Flammability 2	Instability 0		
		6. ACCIDEI	NTAL RELEASE MEAS	SURES		
Personal Precau	tions	Lise personal prote	active equipment Remove	all sources of ignition. Ensure adequ		
Prevent further leakage or spillage if safe to o			<b>a</b> 1			
5			urface water or sanitary sev	,		
Methods for Con				ble absorbent material, (e.g. sand, e	arth. diatomaceous	
			earth, vermiculite) and transfer to a container for disposal according to local / national regulation			

Methods for Cleaning Up

**Neutralizing Agent** 

	7. HAND	LING AND STOR	AGE		
Handling	Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists.				
Storage	Keep away from heat and sources of ignition. Store in original container. Keep in a dry, cool and well- ventilated place.				
Storage Temperature	Minimum 35 °F	7/2 °C	Maximum	100 °F / 38 °C	
Storage Conditions	Indoor X	Outdoor	Heated	Refrigerated	Х

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

## **Exposure Guidelines**

ACGIH TLV	OSHA PEL	NIOSH
No data available	No data available	No data available
No data available	No data available	No data available
Ceiling: 25 ppm	No data available	Ceiling: 25 ppm Ceiling: 125 mg/m <sup>3</sup>
No data available	No data available	No data available
No data available	No data available	No data available
No data available	No data available	No data available
No data available	No data available	No data available
	No data available No data available Ceiling: 25 ppm No data available No data available No data available	No data available No data available   No data available No data available   Ceiling: 25 ppm No data available   No data available No data available

#### **Engineering Measures**

Personal Protective Equipment Eye/Face Protection Skin Protection Respiratory Protection Tightly fitting safety goggles. Wear suitable protective clothing, Impervious gloves. In case of inadequate ventilation wear respiratory protection. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Ensure adequate ventilation, especially in confined areas. Where reasonably practicable this should

be achieved by the use of local exhaust ventilation and good general extraction.

Use clean non-sparking tools to collect absorbed material. Pick up and transfer to properly labeled

**General Hygiene Considerations** 

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Remove and wash contaminated clothing before re-use.

Physical State Color Appearance Specific Gravity Percent Volatile (Volume) VOC Photoreactive (Y/N) VOC Max Use Dilution (wt%) Liquid Yellow-orange - red orange Transparent - Slightly hazy 0.885 83.1 Yes 2.41

section 13)

containers.

Not applicable.

Viscosity Odor pH Evaporation Rate VOC Content (%) VOC Max Use Dilution (g/L) VOC Content (g/L)

Non viscous Orange 8.5 0.2 (Butyl acetate=1) 73.4 38.6 617 Vapor Pressure Solubility 11.6 mmHg @ 70°F Slightly soluble Vapor Density Boiling Point/Range 1.0 (Air = 1.0) 378 °F / 192 °C

# **10. STABILITY AND REACTIVITY**

Chemical Stability Conditions to Avoid Incompatible Products Hazardous Decomposition Products Possibility of Hazardous Reactions Stable. Hazardous polymerization does not occur. Keep away from open flames, hot surfaces, and sources of ignition Strong oxidizing agents, Reducing agents, Strong acids, Strong bases. Carbon oxides, Sulfur oxides, Nitrogen oxides (NOx). None under normal processing

# 11. TOXICOLOGICAL INFORMATION

Product Information

No information available.

# Component Information Acute Toxicity

Addie Toxiony					
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	Draize Test	Other
D-Limonene	= 4400 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	no data available	no data available	no data available
Triethanolamine salt of tall oil fatty acid	no data available	no data available	no data available	no data available	no data available
Hexylene glycol	= 3692 mg/kg ( Rat )	= 8560 µL/kg ( Rabbit )	> 310 mg/m <sup>3</sup> ( Rat ) 1 h	no data available	no data available
Diethanolamine salt of tall oil fatty acid	no data available	no data available	no data available	no data available	no data available
Soyamide diethanolamine	no data available	no data available	no data available	no data available	no data available
Coconut fatty acid	no data available	no data available	no data available	no data available	no data available
Cocamide DEA	= 12400 µL/kg ( Rat )	no data available	no data available	no data available	no data available

#### **Chronic Toxicity**

Component	Mutagenicity	Sensitization	Developmental Toxicity	Reproductive Toxicity	Target Organ Effects
D-Limonene	no data available	Skin sensitization,	no data available	no data available	CNS, immune system,
		Respiratory sensitization			lungs, liver, kidneys
Triethanolamine salt of tall oil fatty acid	no data available	no data available	no data available	no data available	no data available
Hexylene glycol	no data available	Skin sensitization	no data available	no data available	eyes, CNS, respiratory system, skin, immune system
Diethanolamine salt of tall oil fatty acid	no data available	no data available	no data available	no data available	no data available
Soyamide diethanolamine	no data available	no data available	no data available	no data available	no data available
Coconut fatty acid	no data available	no data available	no data available	no data available	no data available
Cocamide DEA	no data available	no data available	no data available	no data available	no data available

#### Carcinogenicity

Component	ACGIH	IARC	NTP	OSHA	Other
D-Limonene	not applicable				
Triethanolamine salt of tall oil fatty acid	not applicable				
Hexylene glycol	not applicable				
Diethanolamine salt of tall oil fatty acid	not applicable				
Soyamide diethanolamine	not applicable				
Coconut fatty acid	not applicable				
Cocamide DEA	not applicable	Group 2B	not applicable	not applicable	not applicable

# 12. ECOLOGICAL INFORMATION

Product Information

No information available.

Component Information

Component	Toxicity to Algae	Toxicity to Fish	Microtox	Water Flea	log Pow
D-Limonene	no data available	LC50 0.619 - 0.796 mg/L Pimephales promelas 96 h	no data available	no data available	N/A
		LC50 = 35 mg/L Oncorhynchus mykiss 96 h			
Triethanolamine salt of tall oil fatty acid	no data available	no data available	no data available	no data available	N/A
Hexylene glycol	no data available	LC50 10500 - 11000 mg/L Pimephales	EC50 = 3038 mg/L 5 min	EC50 2700 - 3700 mg/L 48	<0.14

		promelas 96 h LC50 = 10000 mg/L Lepomis macrochirus 96 h LC50 = 8690 mg/L Pimephales promelas 96 h LC50 = 10700 mg/L Pimephales promelas 96 h		h	
Diethanolamine salt of tall oil fatty acid	no data available	no data available	no data available	no data available	N/A
Soyamide diethanolamine	no data available	no data available	no data available	no data available	N/A
Coconut fatty acid	no data available	no data available	no data available	no data available	N/A
Cocamide DEA	no data available	LC50 = 3.6 mg/L Brachydanio rerio 96 h	EC50 = 6000 mg/L 16 h	EC50= 4.2 mg/L 24 h	N/A

## Persistence and Degradability Bioaccumulation Mobility

No information available. No information available. No information available.

## **13. DISPOSAL CONSIDERATIONS**

Product Disposal Container Disposal Dispose of in accordance with local regulations. Empty containers should be taken for local recycling, recovery, or waste disposal

# 14. TRANSPORT INFORMATION

Ha: UN Pao	oper Shipping Name zard Class -No cking Group scription	COMBUSTIBLE LIQUIDS, N.O.S., (D-LIMONENE) 3 UN2052 III Dipentene Solution ,3,UN2052,PG III
Ha: UN Pao	oper shipping name zard Class -No cking Group scription	Dipentene Solution 3 UN2052 III DIPENTENE SOLUTION,3,UN2052,PG III
Pro Haz Pao	-No oper Shipping Name zard Class cking Group ipping Description	UN2052 Dipentene Solution 3 III Dipentene Solution,3,UN2052,PG III
Pro Haz Pac ER	-No oper Shipping Name zard Class cking Group G Code ipping Description	UN2052 Dipentene Solution 3 III 3L UN2052,Dipentene Solution,3,PG III
Ha: UN Pac Em	oper Shipping Name zard Class -No cking Group S No. ipping Description	Dipentene Solution 3 UN2052 III F-E, S-E UN2052, Dipentene Solution,3,PG III

# 15. REGULATORY INFORMATION

Inventories TSCA DSL

Complies Complies

**U.S. Federal Regulations** 

## SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and and Title 40 of the Code of Federal Regulations, Part 372.

## SARA 311/312 Hazardous Categorization

Acute Health Hazard	Chronic Health Hazard	Fire Hazard	Sudden Release of Pressure Hazard	Reactive Hazard
Yes	Yes	Yes	No	No

Component	Hazardous Substances RQs	CERCLA EHS RQs
D-Limonene	Not applicable	Not applicable
Triethanolamine salt of tall oil fatty acid	Not applicable	Not applicable
Hexylene glycol	Not applicable	Not applicable
Diethanolamine salt of tall oil fatty acid	Not applicable	Not applicable
Soyamide diethanolamine	Not applicable	Not applicable
Coconut fatty acid	Not applicable	Not applicable
Cocamide DEA	Not applicable	Not applicable

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

#### WHMIS Hazard Class

B3 Combustible liquid, D2A Very toxic materials, D2B Toxic materials.



## **16. OTHER INFORMATION**

Prepared By Supercedes Date Issuing Date Reason for Revision Glossary List of References. Rachael Mohochi 09/11/2009 09/04/2012 No information available. No information available. No information available.

Partsmaster, Div of NCH Corp. assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.